

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat)
E7400S
10063807
01/2022
-20°C
PS-E7400S/L/X v1.0

NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7753-2VIAL	NEBNext® DNase I	10063808	Pass
E7752-2VIAL	NEBNext® Thermostable RNase H	10063809	Pass
E7401-2VIAL	NEBNext® V2 rRNA Depletion Solution	10063810	Pass
E6317-2VIAL	Nuclease-free Water	10063813	Pass
E6315-2VIAL	DNase I Reaction Buffer	10063812	Pass
E6314-2VIAL	NEBNext® Probe Hybridization Buffer	10063814	Pass
E6312-2VIAL	RNase H Reaction Buffer	10063811	Pass

Assay Name/Specification	Lot # 10063807
Functional Testing (rRNA Depletion) NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) is functionally validated using commercially available human RNA (e.g. UHRR). After treatment with the kit, a high-throughput sequencing library is made and sequenced. Reads from this library are classified as being derived from ribosomal RNA based on sequence homology. This method produces libraries with <10% rRNA.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) and meet the designated specifications.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

motion /

Christine Sumner Production Scientist 13 Apr 2020

Josh Hersey Packaging Quality Control Inspector

23 Nov 2020

