

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat)
E7400S
10175306
03/2024
-20°C
PS-E7400S/L/X v1.0

NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7753-2VIAL	NEBNext® DNase I	10141908	Pass
E7752-2VIAL	NEBNext® Thermostable RNase H	10141909	Pass
E7401-2VIAL	NEBNext® V2 rRNA Depletion Solution	10141910	Pass
E6317-2VIAL	Nuclease-free Water	10141913	Pass
E6315-2VIAL	DNase I Reaction Buffer	10141912	Pass
E6314-2VIAL	NEBNext® Probe Hybridization Buffer	10141914	Pass
E6312-2VIAL	RNase H Reaction Buffer	10141911	Pass

Assay Name/Specification	Lot # 10175306
Functional Testing (rRNA Depletion) NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) is functionally validated using commercially available human RNA (e.g. UHRR). After treatment with the kit, a high-throughput sequencing library is made and sequenced. Reads from this library are classified as being derived from ribosomal RNA based on sequence homology. This method produces libraries with <10% rRNA.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) and meet the designated specifications.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

notin-

Christine Sumner Production Scientist 15 Dec 2022

Michae on. V

Michael Tonello Packaging Quality Control Inspector 15 Dec 2022

