

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Ultra™ II Q5® Master Mix

Catalog Number: M0544X

Concentration: 2 X Concentrate

Packaging Lot Number: 10206872
Expiration Date: 11/2024
Storage Temperature: -20°C

Specification Version: PS-M0544S/L/X v3.0

| NEBNext® Ultra™ II Q5® Master Mix Component List | | | | |
|--|-----------------------------------|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| M0544XVIAL | NEBNext® Ultra™ II Q5® Master Mix | 10206874 | Pass | |

| Assay Name/Specification | Lot # 10206872 |
|---|----------------|
| Functional Testing (Multiplex PCR, Bead Inhibition) A 50 µl reaction in 1X NEBNext® Ultra™ II Q5® Master Mix and 0.5 µM 3-plex primer mix containing 20 ng Human Genomic DNA for 30 cycles of PCR amplification results in the expected three amplicons and no inhibition of amplification in the presence of the beads. | Pass |
| Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X NEBNext Ultra II Q5 Master Mix containing 1 µg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass |
| Phosphatase Activity (pNPP) A 200 µl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl2 containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 20 µl of NEBNext® Ultra™ II Q5® Master Mix incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis. | Pass |

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



M0544X / Lot: 10206872

Page 1 of 2

issa Ain Melissa Cormier

Production Scientist 07 Sep 2023

Josh Hersey Packaging Quality Control Inspector

08 Sep 2023