

## New England Biolabs Certificate of Analysis

**Product Name:** Zral  
**Catalog Number:** R0659L  
**Concentration:** 10,000 U/ml  
**Unit Definition:** One unit is defined as the amount of enzyme required to digest 1 µg of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 µl.  
**Packaging Lot Number:** 10107766  
**Expiration Date:** 04/2023  
**Storage Temperature:** -20°C  
**Storage Conditions:** 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 500 µg/ml BSA  
**Specification Version:** PS-R0659S/L v1.0

| Zral Component List |                       |            |                      |
|---------------------|-----------------------|------------|----------------------|
| NEB Part Number     | Component Description | Lot Number | Individual QC Result |
| R0659LVIAL          | Zral                  | 10104821   | Pass                 |
| B6004SVIAL          | rCutSmart™ Buffer     | 10103713   | Pass                 |

| Assay Name/Specification   | Lot # 10107766 |
|--|----------------|
| <b>Protein Purity Assay (SDS-PAGE)</b><br>Zral is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.  | Pass           |
| <b>Non-Specific DNase Activity (16 Hour)</b><br>A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 10 Units of Zral incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass           |
| <b>Exonuclease Activity (Radioactivity Release)</b><br>A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 100 units of Zral incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.   | Pass           |
| <b>Endonuclease Activity (Nicking)</b><br>A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled M13mp18 DNA and a minimum of 10 units of Zral incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.              | Pass           |

| Assay Name/Specification  | Lot # 10107766     |
|---|--------------------|
| <p><b>Ligation and Recutting (Terminal Integrity)</b><br/>After a 10-fold over-digestion of Lambda DNA with Zral, &gt;95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, &gt;95% can be recut with Zral.</p> | <p><b>Pass</b></p> |

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.




---

Penghua Zhang  
Production Scientist  
21 Apr 2021




---

Michael Tonello  
Packaging Quality Control Inspector  
21 Apr 2021