

New England Biolabs Certificate of Analysis

Product Name: PI-SceI
Catalog #: R0696S/L
Concentration: 5,000 units/ml
Unit Definition: One unit is defined as the amount of enzyme required to cleave 1 μ g of pBSvdeX XmnI-linearized Control Plasmid in 3 hours at 37°C in a total reaction volume of 50 μ l.
Lot #: 0121405
Assay Date: 05/2014
Expiration Date: 05/2016
Storage Temp: -20 °C
Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 500 μ g/ml BSA
Specification Version: PS-R0696S/L v1.0
Effective Date: 02 May 2014

Assay Name/Specification (minimum release criteria)	Lot #0121405
Exonuclease Activity (Radioactivity Release) - A 50 μ l reaction in NEBuffer PI-SceI containing 1 μ g of a mixture of single and double-stranded [³ H] <i>E. coli</i> DNA and a minimum of 50 units of PI-SceI incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) - After a 10-fold over-digestion of pBSvdeX-XmnI DNA with PI-SceI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with PI-SceI.	Pass
Non-Specific DNase Activity (16 Hour) - A 50 μ l reaction in NEBuffer PI-SceI containing 1 μ g of pBSvdeX-XmnI DNA and a minimum of 50 Units of PI-SceI incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

* The BSA in this product has been granted an EDQM "Certificate of Suitability" from the European Directorate for the Quality of Medicines (# R1-CEP-2003-204-Rev00) and has been granted a USDA Certificate for Export of Bovine Blood Plasma/Serum for Manufacture into Pharmaceutical Products.



Authorized by
Derek Robinson
02 May 2014



Inspected by
JianYing Luo
02 May 2014

